

**NERO GOFFRATO
E VARIANTI**

Colori disponibili:
NN = nero goffrato
NO = nero-oro
NA = nero-argento
NR = nero-rame
NB = nero-bronzo
NV = nero-verde

Per GRIGIO ANTRACITE e BIANCO GOFFRATO vedere le condizioni riportate nel listino prezzi.

Corpo: alluminio pressofuso
 Cappelli disponibili (da specificare):

A = cappello alluminio
R = cappello rame satinato chiaro
 (su richiesta, cappello rame anticato scuro)

Diffusore: policarbonato

DT = policarbonato trasparente tondo (standard)
DO = policarbonato opale tondo (su richiesta)
DG = polic. trasparente "con goccia" (su richiesta)

**BLACK MATT
AND VARIANTS**

Colours available:
NN = black matt
NO = black-gold
NA = black-silver
NR = black-copper
NB = black-bronze
NV = black-green

For ANTHRACITE GREY and WHITE MATT refer to conditions on the pricing list.

Body: die cast aluminium
 Hats available (to specify):

A = aluminium hat
R = clear copper hat
 (on request, dark brunished copper hat)



Diffuser: polycarbonate

DT = transparent round polycarbonate (standard)
DO = opal round polycarbonate (on request)
DG = transp. polycarbonate "with drop"(on request)



Viteria esterna in acciaio inox.
 Tasselli di fissaggio inclusi
 (lampadina non inclusa).
 Specifiche bracci e pali a pag. 294-297.
 Accessori a pag. 298-300.

External screws: stainless steel.
 Anchorage screws included
 (bulbs not included).
 Arms and poles details on page 294-297.
 Accessories on page 298-300.





Art. **1901R** nero rame (NR) - DT

Dione nero



Art. **1903R** nero verde (NV) - DT



Art. **1900R** nero rame (NR) - DT

Art. **1902A** nero argento (NA) - DT



Art. **1902R** nero verde (NV) - DT



Art. **1905A/1L**
nero verde (NV) - DT - braccio B3 - palo P21
h 1380 mm - ø 530 mm



Art. **1906A/2L**
nero verde (NV) - DT - braccio B3 - palo P22
h 1880 mm - ø 820 mm



Art. **1906R/3L** nero rame (NR) - DT - braccio B3 - palo P22



Art. 1909A/1L
nero rame (NR) - DT - braccio B3F - palo P20
h 1620 mm - ø 460 mm

Art. 1910A/2L
nero rame (NR) - DT - braccio B3F - palo P21
h 2120 mm - ø 710 mm



Art. **1910R/3L** nero (NN) - DT - braccio B3F - palo P21